



GREAT WALL
CERAMIC INDUSTRIES LTD.

PRODUCT **CATALOGUE**

WALL & FLOOR TILES

COMPANY OVERVIEW

Started manufacturing of tiles from 2006, **Great Wall Ceramic Ind. Ltd.** is now the highest tiles manufacturer in Bangladesh. The factory is equipped with state-of-art machineries, supported by highly skilled and experienced professionals to craft the finest quality of tiles.

World renowned ceramic tiles machineries from **SACMI, Modena, KEDA, DLT, SITI B & T, Cuccollini & EFI** are installed to produce tiles for the potential market. For last 18 years, Great Wall Ceramic Ind. Ltd. has successfully manufactured and promoted 1000+ designs of tiles in different sizes.

PRODUCT MIX

Wall tiles are available in seven sizes: 20 cm x 30 cm, 20 cm x 40 cm, 25 cm x 40 cm, 20 cm x 55 cm, 30 cm x 50 cm, 30 cm x 60 cm & 24 cm x 71 cm.

There are complementary decor & border tiles along with floor tiles.

Floor tiles are available in six sizes: 30 cm x 30 cm, 26.5 cm x 30 cm, 40 cm x 40 cm, 60 cm x 60 cm, 80 cm x 80 cm and 60 cm x 120 cm in different categories.

These tiles are digitally printed by world famous **cretaprint** tiles printing machine. There are lot of modern and contemporary punche designs produced by **Great Wall Ceramic Ind. Ltd.**

টাইলস ব্যবহারের নির্দেশিকা

- প্রতিটি টাইলসে-এর একটি নির্দিষ্ট কালার কোড থাকে। তাই এটি স্থাপনের পূর্বে নিশ্চিত হওয়া দরকার- যে মেঝেতে অথবা দেয়ালে ব্যবহৃত সকল টাইলস একই কালার কোডের। যেমন, মেঝের আয়তন ৩০০ স্কয়ার ফুট, এই ৩০০ স্কয়ার ফুট মেঝেতে একই কালার কোড-এর টাইলস ব্যবহার করা উত্তম।
- টাইলস স্থাপনের সময় দুটি টাইলসের মাঝখানে আন্তর্জাতিক নিয়মনুযায়ী ৩ মি. মি. থেকে ৫ মি. মি. ব্যবধান রাখা দরকার।
- আপনার প্রতিষ্ঠানে যে পরিমাণ টাইলস লাগবে, সমস্ত টাইলস একসঙ্গে অর্ডার দিন, তাহলে কালার-এর শেড ভেরিয়েশন হবে না।
- বাড়ি নির্মাণের ক্ষেত্রে অধিকাংশ সময় ঘরের আভ্যন্তরীণ কাঠ, বিদ্যুৎ এবং আসবাবপত্রের কাজ টাইলস স্থাপনের পর হয়ে থাকে। এ সমস্ত কাজের সময় টাইলস এর উপর সতর্কতামূলক আবরণ ব্যবহার করা উচিত। কারণ অনাবৃত অবস্থায় টাইলস ক্ষতিগ্রস্ত হতে পারে।
- যথাযথ এবং সুদৃঢ় বন্ধনের জন্য টাইলসের উপর যত্নের সাথে কাঠের মুহুর/মুশল এর সাহায্যে চাপ দেয়া উচিত। (এক্ষেত্রে লোহার হাতুড়ি অথবা ভারী বস্তুর ব্যবহার ক্ষতিকর।
- টাইলস-এর সৌন্দর্য ও স্থায়িত্ব নির্ভর করে যথাযথ যত্নের উপর।



2525 LBE



D 2525 LBE-1



2525 DBE



2525 LG



D 2525 LG-1



2525 DG



2526 LG



D 2526 LG-1



2526 DG



2527 LBE



D 2527 LBE-1



2527 DBE



2527 LBE




D 2527 LBE-2



2527 DBE



2527 LG



D 2527 LG-1



2527 DG

MATCHING Floor Tiles



2525 DBE FLR 30 cm x 30 cm Porosa Body



2525 DG FLR 30 cm x 30 cm Porosa Body




2526 DG FLR 30 cm x 30 cm Porosa Body



2527 DBE FLR 30 cm x 30 cm Porosa Body




2527 DG FLR 30 cm x 30 cm Porosa Body



1101 LBE



D 1101 LBE-1



1101 DBE



1101 LG



D 1101 LG-1



1101 DG



1102 LBE



D 1102 LBE-1



1102 DBE



1102 LBE



D 1102 LBE-2



1102 DBE



1103 LBE



D 1103 LBE-1



1103 DBE



1103 LOR



D 1103 LOR-2



1103 DOR



1104 LG



D 1104 LG-1



1104 DG



1105 LBE



D 1105 LBE-1



1105 DBE



D 1108 ZMBE-1



1108 ZMBE



D 1108 ZMBE-2


MATCHING Floor Tiles



1101 DBE FLR 30 cm x 30 cm Porosa Body



2526 DG FLR 30 cm x 30 cm Porosa Body



1104 DG FLR 30 cm x 30 cm Porosa Body



1103 DBE FLR 30 cm x 30 cm Porosa Body



1105 FLR 30 cm x 30 cm Porosa Body



1122 PG



D 1122 PG-1



1122 PG



1124 LBE



D 1124 LBE-2



1124 DBE




1124 LG



D 1124 LG-1



1124 DG




1125 LBE



D 1125 LBE-1



1125 DBE



1125 LBE



D 1125 LBE-2



1125 DBE




1128 LG



D 1128 LG-1



1128 DG



1132 LG



D 1132 LG-1



1132 DG




1133 LG




D 1133 LG-1




1133 DG



1134 LG




D 1134 LG-1



1134 DG

MATCHING Floor Tiles



1134 DG FLR 30 cm x 30 cm Porosa Body



422 PG 30 cm x 30 cm Porosa Body



2526 DG FLR 30 cm x 30 cm Porosa Body



1125 FLR 30 cm x 30 cm Porosa Body



411 DG 30 cm x 30 cm Porosa Body



1133 DG FLR 30 cm x 30 cm Porosa Body



1138 LBE



D 1138 LBE-1



1138 LBE




1145 LBE



D 1145 LBE-1



1145 DBE




1147 LBE



D 1147 LBE-1



1147 DBE



1147 LBE



D 1147 LBE-2



1147 DBE



1148 LBE



D 1148 LBE-1



1148 DBE



1158 LG



D 1158 LG-1



1158 DG



1159 LBE



D 1159 LBE-1



1159 DBE



1159 LBE



D 1159 LBE-2



1159 DBE



1160 LG



D 1160 LG-1




1160 DG

MATCHING Floor Tiles




1160 DG FLR 30 cm x 30 cm Porosa Body




1138 LBE FLR 30 cm x 30 cm Porosa Body



411 DG 30 cm x 30 cm Porosa Body



1125 FLR 30 cm x 30 cm Porosa Body



481 LBE 30 cm x 30 cm Porosa Body



1161 LGR




D 1161 LGR-1



1161 DGR



D 1170 BE-1




1170 BE



D 1170 BE-2




1171 LBE



1179 LBE



D 1179 LBE-1



1179 LBE



D 1179 LBE-2



1179 DBE



1180 G



D 1180 G-1



1180 G



1179 DBE



1183 GR



1183 BE




1186 LG



D 1186 LG-1




1186 LG




1187 LBE



D 1187 LBE-1




1187 DBE



1187 LBE



D 1187 LBE-2



1187 DBE


MATCHING Floor Tiles



425 G 30 cm x 30 cm
Porosa Body



1161 FLR 30 cm x 30 cm
Porosa Body



481 LBE 30 cm x 30 cm
Porosa Body



1125 FLR 30 cm x 30 cm
Porosa Body



450 G 30 cm x 30 cm
Porosa Body



1190 R1



1190 R1A



1144 BR



1150 R-W



1150 R-BK



905 LBE



905 LOR



906 LBE



906 LBE



D 905 LBE-1



D 905 LOR-1



D 906 LBE-1



D 906 LBE-2




905 DBE



905 DOR




906 DBE



906 DBE



906 LBL



908 LG



912 LG



913 LG



D 906 LBL-1



D 908 LG-1



D 912 LG-1




D 913 LG-1



906 DBL



908 DG



912 DG



913 DG

MATCHING Floor Tiles



411 DG



30 cm x 30 cm
Porosa Body



30 cm x 30 cm
Porosa Body



30 cm x 30 cm
Porosa Body



917 LBE



919 LBE



920 BE



920 BE



D 917 LBE-2



D 919 LBE-2



D 920 BE-1



D 920 BE-2



917 LBE




919 DBE



920 BE



920 BE




923 LG



925 BE



925 G



944 LBL



D 923 LG-1



D 925 BE-1



D 925 G-1



D 944 LBL-1




923 DG




925 BE




925 G



944 DBL



961 BE



961 BE



962 LBL




D 961 BE-1




D 961 BE-2



D 962 LBL-1



961 BE



961 BE



962 DBL

MATCHING Floor Tiles



2525 DBE FLR 30 cm x 30 cm Porosa Body




420 BE 30 cm x 30 cm Porosa Body



411 DG 30 cm x 30 cm Porosa Body




425 G 30 cm x 30 cm Porosa Body




944 DBL FLR 30 cm x 30 cm Porosa Body



425 BE 30 cm x 30 cm Porosa Body



966 LBE



966 LBE



967 G



969 LBE



D 966 LBE-1



D 966 LBE-2



D 967 G-1



D 969 LBE-2



966 DBE




966 DBE




967 G



969 DBE



983 LG



983 LG



985 LBE



985 LBE



D 983 LG-1




D 983 LG-2




D 985 LBE-1



D 985 LBE-2



983 LG



983 LG



985 LBE



985 LBE

Wall Tiles Ceramic (Rustic)



999 R1B



999 R2A



999 R2

MATCHING Floor Tiles




450 G 30 cm x 30 cm
Porosa Body



425 BE 30 cm x 30 cm
Porosa Body



425 G 30 cm x 30 cm
Porosa Body



400 W 30 cm x 30 cm
Porosa Body



485 LBE 30 cm x 30 cm
Porosa Body



1510 RG



1510 R1



1510 R2



1511 RG



1511 R1



1515 R1



1515 R2



1515 R3




1515 R4



Wall Tiles Ceramic (Matching Decor)

| 25 cm x 40 cm |



501 G



502 G



502 G



500




D 501 G-1



D 502 G-1



D 502 G-2



501 G



502 G



502 G



503 LG



503 LG



504 LBE



505 BE



D-503 LG-1



D 503 LG-2



D 504 LBE-2



D 505 BE-2



503 DG



503 DG




504 DBE



505 BE

MATCHING
Floor Tiles



400 W 30 cm x 30 cm Porosa Body



1125 FLR 30 cm x 30 cm Porosa Body



425 BE 30 cm x 30 cm Porosa Body




2525 DG FLR 30 cm x 30 cm Porosa Body



411 DG 30 cm x 30 cm Porosa Body



450 G 30 cm x 30 cm Porosa Body



517 LG



520 G



D 536 BE-1




541 G



D 517 LG-1



D 520 G-1



536 BE



D 541 G-1



517 DG



520 G



D 536 BE-2



541 G



542 GY



546 LBE



546 LBE



547 G



D 542 GY-1



D 546 LBE-1




D 546 LBE-2




D 547 G-1



542 GY



546 DBE



546 DBE



547 G



548 BE



D 550 G-1



D 548 BE-2



556 BR



D 560 G-1



D 566 G-1



548 BE



550 G




560 G



566 G


MATCHING Floor Tiles



400 W 30 cm x 30 cm
Porosa Body



450 G 30 cm x 30 cm
Porosa Body



400 G 30 cm x 30 cm
Homogeneous



1125 FLR 30 cm x 30 cm
Porosa Body



411 DG 30 cm x 30 cm
Porosa Body



712 LBE




713 BY



713 BP



750 MBG



300



301 G



301 BK



302 BL



302 BR



321 BE



322 LBR



322 DBR



350 BL



380 G



3010 G



3012 G



323 BR



326 BE



326 G



3005 BR



3043 G



362 LBE



397 G



3020 LBE



3021 LBE



3024 LBE



362 DL



397 GD



3020 DL



3021 DL



3024 DL



362 DBE



397 G



3020 DBE



3021 DBE



3024 DBE



3025 LP



3031 LBE



3031 LBE



3032 LBE



3032 LBE



3025 DL



3031 DL-1



3031 DL-2



3032 DL-1



3032 DL-2



3025 DP



3031 DBE



3031 DBE



3032 DBE



3032 DBE



3034 LGR



3034 DL



3034 DGR



3035 LBE



3035 DL



3035 DBE



3036 LBE



3036 DL-1



3036 DBE



3036 LBE



3036 DL-2



3036 DBE



3037 LP



3037 DL



3037 DP



3038 LBL



3038 DL



3038 DBL



3039 LBE



3039 DL



3039 DBE



3048 LBE



3048 DL



3048 DBE



3051 LBE



3051 DL



3051 DBE



3052 LG



3052 DL



3052 DG



3053 LBE



3053 DL-1



3053 DBE



3053 LBE



3053 DL-2



3053 DBE



3054 LBL



3054 DL



3054 DBL



3055 LBE



3055 DL



3055 DBE



8860



8861




8862



8865




8002




8003



8004




8005




8006



8008



6605



6606



6607



6650



6651



6655



6656




6657



6680




6681




6682



6684



STP 6605



STP 6606



STP 6607



STP 6680




STP 6681




STP 6682



STP 6684



STP 800 G



STP 800 G Polished



12007



12010



12012



12020




12041



6001



6002



6005




6017



6020



6022




6031




6032



6050



6043




6045



6053



6054




6056



6057



6061




6065




6066



6067




6068




6070



6073



6074



6075






6080 M



6091 M



6092 M



6093 M



6094 M



6095 M




6096 M




Floor Tiles Homogeneous

| 60 cm x 60 cm |



800 G



800 G Polished



Floor Tiles Homogeneous

| 40 cm x 40 cm |



600 G



601 G



602 G



609 G




610 G




Floor Tiles Homogeneous

| 30 cm x 30 cm |



400 G




401 G



402 G



409 G



410 G



Floor Tiles Homogeneous (Heavy Traffic)


| 30 cm x 30 cm |



HT 400 GL



HT 410 GL



HT 400 GC




HT 410 GC



Floor Tiles Homogeneous (Stair)

| 26.5 cm x 30 cm |



STP 400 G



STP 401 G



STP 409 G



STP 410 G




Floor Tiles Vitrified Matt (Anti Skid)

| 40 cm x 40 cm |



650 M



651 M



652 M




654 M



655 M



656 M



657 M



658 M



Floor Tiles Porcellanato Body

| 40 cm x 40 cm |



614 G



615 BE



681 BE



690 BE



690 G



630 GL



631 GL



632 GL



633 GL



634 GL



635 GL



636 GL



637 GL



638 GL



639 GL



640 GL




641 GL




642 GL



643 GL



644 GL



400 W



411 DG



420 BE



422 PG




425 BE



425 G



450 G




481 LBE




485 LBE



905 DBE FLR




944 DBL FLR



1101 DBE FLR




1103 DBE FLR



1104 DG FLR




1105 FLR



1125 FLR



1133 DG FLR



1134 DG FLR



1138 LBE FLR



1160 DG FLR



2525 DBE FLR



2525 DG FLR



2526 DG FLR



2527 DBE FLR



2527 DG FLR

TECHNICAL SPECIFICATION-WALL TILES

Test Description	Standard Method	BDS	Great wall Ceramic Standard
Length & Width	BS EN ISO 10545- 2	± 0.5 %	± 0.3 %
Thickness	BS EN ISO 10545- 2	± 0.5 mm	± 0.4 mm
Strengthness of Sides	BS EN ISO 10545- 2	± 0.5 %	± 0.3 %
Rectangularity	BS EN ISO 10545- 2	± 0.5 %	± 0.4 %
Surface Flatness	BS EN ISO 10545- 2	± 0.5 %	± 0.3 %
Water Absorption	BS EN ISO 10545- 3	≥ 10 % ~≤ 16 %	≤14 %
Modules of Rapture	BS EN ISO 10545- 4	≥ 18 N /mm²	≥ 20 N /mm²
Thermal Shock Resistance	BS EN ISO 10545- 9	No Visible Defect	No Visible Defect
Crazing Resistance	BS EN ISO 10545- 11	No Crazing	No Crazing
Resistance to Chemical	BS EN ISO 10545- 13	No Visible Defect	No Visible Defect
Resistance	BS EN ISO 10545- 14	Stains Removed	Stains Removed

TECHNICAL SPECIFICATION-FLOOR TILES

Test Description	Standard Method	BDS	Great wall Ceramic Standard
Length & Width	BS EN ISO 10545- 2	± 0.5 %	± 0.3 %
Thickness	BS EN ISO 10545- 2	± 0.5 mm	± 0.5 mm
Strengthness of Sides	BS EN ISO 10545- 2	± 0.5 %	± 0.4 %
Rectangularity	BS EN ISO 10545- 2	± 0.5 %	± 0.4 %
Surface Flatness	BS EN ISO 10545- 2	± 0.5 %	± 0.4 %
Water Absorption	BS EN ISO 10545- 3	≥ 0.5 %	≤ 0.4 %
Modules of Rapture	BS EN ISO 10545- 4	≥ 35 N /mm²	≥ 40 N /mm²
Thermal Shock Resistance	BS EN ISO 10545- 9	No Visible Defect	No Visible Defect
Crazing Resistance	BS EN ISO 10545- 11	No Crazing	No Crazing
Resistance to Chemical	BS EN ISO 10545- 13	No Visible Defect	No Visible Defect
Resistance	BS EN ISO 10545- 14	Stains Removed	Stains Removed

Montania Tile Fix & Dry Set Grout



MONTANIA Tile fix and dry Set grout key points of manufacturing

- Experienced skilled hands
- Technology from Thailand
- Selected raw materials from Germany
- Produced in Bangladesh
- Thailand Quality

Distributed by:



GREAT WALL CERAMIC INDUSTRIES LTD.

Produced by:



SIAM BANGLA INDUSTRIES LTD

ISO 9001: 2015 CERTIFIED

Edition: November 2024

CATALOGUE



SCAN THE QR CODE
FOR THE .PDF CATALOGUE



Corporate Office:

Navana Zohura Square (12th Floor), 28 Kazi Nazrul Islam Avenue,
Banglamotor, Dhaka-1000.

Phone: 880-2-55168031-39. Fax: +8802-55168040.

E-mail: Info@greatwallceramic.net